



# TEXTRON

Girona 34, 4ª - 6ª

08402 Granollers (Barcelona) España

Tel. + 34 93 860 45 00 • Fax + 34 93 870 74 62

e-mail: [textron@vantagegrp.com](mailto:textron@vantagegrp.com) • [www.textronoil.com](http://www.textronoil.com)

## CASTOR OIL REFINED

**BATCH N°** 2807T058360  
**DELIVERY Q** 4830 KG

**MANUFACT. DATE** 07-2021  
**ANALYSIS DATE** 07-2021  
**BEST BEFORE** 07-2023

**SPECIFICATION** 00816101      **CERTIFICATE N°** 89833      **EDITION DATE** 02/08/21

PARAMETERS	SPECIFICATIONS	RESULTS
DESCRIPTION	Clear yellow oily liquid	Pass test
Refractive index	1,477-1,485	1.478
Moisture & Volatile	0.25 % Max.	0.14
F.F.A.	max. 1.0 %	0.4
Acid Value	max. 2.00	0.8
SAP Value	177 - 185	181
UNSAF Value	0.50 - 0.80 %	0.50
Hydroxyle Value	160 - 168	160
Iodine Value	82 - 90	84
Relative Density 20 C°	0.954 - 0.960	0.959
Sediment	NIL	Pass test
ASH	NIL	Pass test
Solubility	Soluble in Alcohol,Ether	Pass test

### Observations

Keep full and well closed in a dry place and away from light.

The storage life can be guaranteed for minimum 24 months in tightly locked containers at a temperature of + 10°C up to +30° C.

A turbidity of the oil due to coldness is reversible and can be removed by heating up to more than 40°C.

Freezing point of castor oil is -13°C so turbidity may be started at -13 °C.

