

<b>ANALYSIS No. MPV188/2020</b>		<b>BATCH No. 0218401001</b>		
Manufacturing date: <b>March 2020</b>		Expiry date: <b>September 2021</b>		
<b>PRODUCT</b>	<b>2001100075</b>	<b>PHYTOCREAM 2000</b>		
DETERMINATIONS	RESULTS			IN-HOUSE LIMITS
<b>Organoleptic Control MCQC01</b>				
<i>Aspect</i>	Complies			Waxy beads/flakes
<i>Color</i>	Complies			Ivory
<i>Odor</i>	Complies			Complies
<i>saponification number</i>	60.00 mgKOH			min. 60.00 mgKOH max. 100,00 mgKOH
<b>Emulsion test MCQC33</b>				
<i>Emulsion Test</i>	Complies			Complies
<b>pH MCQC03</b>				
<i>pH on 10% emulsion</i>	7.00			min. 5,50 max. 7,00
<b>IR MCQC29</b>				
<i>IR identification</i>	Complies			Complies
<b>Pathogens Research MCQC27</b>				
<i>St. Aureus Research</i>	Complies			Absent/1g
<i>Ps. Aeruginosa Research</i>	Complies			Absent/1g
<i>Candida Albicans Research</i>	Complies			Absent/1g
<i>Enterobacter Research</i>	Complies			Absent/1g
<b>Total Count MCQC22</b>				
<i>TAMC</i>	0 UFC			n.m.t. 100 UFC
<i>TYMC</i>	0 UFC			n.m.t. 10 UFC
<i>Total Count</i>	0 UFC			n.m.t. 100 UFC

This Certificate of Analysis has been issued electronically without signature

QC Head  
Roberta Sala Crist