



Safety Data Sheet dated 15/6/2018, version 2

ECTION 1: Id	entification of the su	ubstance/mixture and of the company/undertaking
1.1. Produ	ct identifier	
Iden	tification of the substand	ce:
Trac	de name:	SPEARMINT ESS. OIL 80%
	de code:	OL.ES.92
CAS	S number:	8008-79-5
EC r	number:	283-656-2
1.2. Releva	ant identified uses of the	e substance or mixture and uses advised against
Rec	ommended use:	
Raw	material for fragrances	, cosmetics, food
1.3. Details	s of the supplier of the s	afety data sheet
Corr	npany:	
ESP	PERIS SPA	
	Ambrogio Binda 29	
	43 MILANO (ITALY)	
	+39 02 89122219	
	t person responsible for	the safety data sheet:
	@esperis.it	
	gency telephone number	
Antij	poison Center - Hospital	I Name 1 - City - Telephone nbr. (availability information)
EC regulat	tion criteria 1272/2008 (0 Warning, Skin Sens, 1	CLP) , May cause an allergic skin reaction.
~		
	Aquatic Chronic 2, Tox	kic to aquatic life with long lasting effects.
Adverse pl	hysicochemical, human	health and environmental effects:
	other hazards	
2.2. Label		
Hazard pic	tograms:	
	!	
War	-	
Hazard sta		
	7 May cause an allergic	
	1 Toxic to aquatic life wi	ith long lasting effects.
	hary statements:	
		fume/gas/mist/vapours/spray.
	3 Avoid release to the e	
P28	o wear protective glove	s/protective clothing/eye protection/face protection.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Special Provisions:

OL.ES.92/2 Page n. 1 of 9



None Contains LAEVO CARVONE (R)-P-MENTA-1,8-DIENE: May produce an allergic reaction. Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
- N.A.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	er	Classification
>= 80% - < 90%	LAEVO CARVONE	CAS: EC:	99-49-0 202-759-5	 3.1/4/Oral Acute Tox. 4 H302 3.4.2/1 Skin Sens. 1 H317
>= 2.5% - < 5%	(R)-P-MENTA-1,8-DIE NE	Index number: CAS: EC: REACH No.:	601-029-00-7 5989-27-5 227-813-5 01-21195292 23-47-xxxx	 2.6/3 Flam. Liq. 3 H226 3.10/1 Asp. Tox. 1 H304 3.2/2 Skin Irrit. 2 H315 3.4.2/1 Skin Sens. 1 H317 4.1/A1 Aquatic Acute 1 H400 4.1/C1 Aquatic Chronic 1 H410
>= 1% - < 2.5%	BETA CARYOPHYLLENE	CAS: EC:	87-44-5 201-746-1	 3.10/1 Asp. Tox. 1 H304 3.2/2 Skin Irrit. 2 H315
>= 1% - < 2.5%	(-)MENTONE	CAS: EC:	14073-97-3 237-926-1	4.1/C3 Aquatic Chronic 3 H412

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

OL.ES.92/2 Page n. 2 of 9



- 4.2. Most important symptoms and effects, both acute and delayed None
- 4.3. Indication of any immediate medical attention and special treatment needed In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment: None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - Water.
 - Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.
 - Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.
- 6.4. Reference to other sections
 - See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

- Contamined clothing should be change
- Contamined clothing should be changed before entering eating areas.
- Do not eat or drink while working.
- See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities
 - Keep out from light sun Keep the product in dry and cool place Keep away from food, drink and feed. Incompatible materials:

OL.ES.92/2 Page n. 3 of 9



None in particular. Instructions as regards storage premises: Adequately ventilated premises. 7.3. Specific end use(s) None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters No occupational exposure limit available **DNEL Exposure Limit Values** N.A. **PNEC Exposure Limit Values** N.A. 8.2. Exposure controls Eye protection: Eye glasses with side protection. Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton. Protection for hands: CR (polychloroprene, chloroprene rubber). Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	liquid clear		
Odour:	characteristic		
Odour threshold:	N.A.		
pH:	N.A.		
Melting point / freezing	N.A.		
point:			
Initial boiling point and	N.A.		
boiling range:			
Flash point:	66 ° C		
Evaporation rate:	N.A.		
Solid/gas flammability:	N.A.		
Upper/lower flammability	N.A.		
or explosive limits:			
Vapour pressure:	N.A.		
Vapour density:	N.A.		
Relative density:	0.935 - 0.960		
Solubility in water:	N.A.		
Solubility in oil:	N.A.		
Partition coefficient	N.A.		



(n-octanol/water):		
Auto-ignition temperature:	237	
Decomposition	N.A.	
temperature:		
Viscosity:	N.A.	
Explosive properties:	N.A.	
Oxidizing properties:	N.A.	

9.2. Other information

Properties	Value	Method:	Notes:	
Miscibility:	N.A.			
Fat Solubility:	N.A.			
Conductivity:	N.A.			
Substance Groups relevant properties	N.A.			

SECTION 10: Stability and reactivity

- 10.1. Reactivity
- Stable under normal conditions
- 10.2. Chemical stability Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the product:

SPEARMINT ESS. OIL 80% - CAS: 8008-79-5

- a) acute toxicity:
- Test: LD50 Route: Oral Species: Rat = 5000 mg/kg
- Toxicological information of the main substances found in the product:
 - LAEVO CARVONE CAS: 99-49-0
 - a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 1640 mg/kg

- (R)-P-MENTA-1,8-DIENE CAS: 5989-27-5
- a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

a) acute toxicity;

- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;

OL.ES.92/2 Page n. 5 of 9



g) reproductive toxicity;h) STOT-single exposure;i) STOT-repeated exposure;j) aspiration hazard.

SECTION 12: Ecological information

- 12.1. Toxicity
 - Adopt good working practices, so that the product is not released into the environment.
 - (R)-P-MENTA-1,8-DIENE CAS: 5989-27-5
 - a) Aquatic acute toxicity:
 - Endpoint: EC50 = 0.36 mg/l Duration h: 48 Notes: Daphnia magna
- 12.2. Persistence and degradability
 - N.A.
- 12.3. Bioaccumulative potential
- N.A.
- 12.4. Mobility in soil N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
 - Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

•	
14.1. UN number	
ADR-UN number:	3082
IATA-Un number:	3082
IMDG-Un number:	3082
14.2. UN proper shipping name	
14.3. Transport hazard class(es)	
ADR-Class:	9
IATA-Class:	9
IMDG-Class:	9
14.4. Packing group	
ADR-Packing Group:	III
IATA-Packing group:	111
IMDG-Packing group:	111
14.5. Environmental hazards	
14.6 Special proputions for upor	

- 14.6. Special precautions for user
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

OL.ES.92/2 Page n. 6 of 9



Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 Product belongs to category: E2 15.2. Chemical safety assessment

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

No Chemical Safety Assessment has been carried out for the mixture.

H412 Harmful to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification SECTION 3: Composition/information on ingredients SECTION 6: Accidental release measures SECTION 9: Physical and chemical properties SECTION 11: Toxicological information

OL.ES.92/2 Page n. 7 of 9



SECTION 12: Ecological information SECTION 14: Transport information SECTION 15: Regulatory information SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Sens. 1, H317	Calculation method
Aquatic Chronic 2, H411	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of
CAS:	Dangerous Goods by Road. Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Áviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.

OL.ES.92/2 Page n. 8 of 9

