

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 15.09.2021

Version number 2 (replaces version 1)

Revision: 15.09.2021

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** PIPE CLEANER KL**UFI:** DH00-90DS-R00M-TW8D**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture:**

Application of the substance / the mixture: Powerful piping unblocker that acts immediately. It is ideal to instantly unblock the entire sewer system (pipes, siphons, sinks, tubs etc).

**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Kalogeropoulos Chemicals S.A.

D. Gounari 35, 185 31

Pireaus, Greece

Tel: +30 2104124518

Fax: +30 2104101607

e-mail: info@kalochem.gr

website: www.kalochem.gr

**1.4 Emergency telephone number:**

European Emergency Tel.: 112

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation EC No 1272/2008 CLP:**

GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

**2.2 Label elements****Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms:**

GHS05

**Signal word:** Danger

(Contd. on page 2)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 15.09.2021

Version number 2 (replaces version 1)

Revision: 15.09.2021

**Trade name: PIPE CLEANER KL**

(Contd. of page 1)

**Hazard-determining components of labelling:**

sodium hydroxide  
 Hexyl-D-Glucoside

**Hazard statements:**

H290 May be corrosive to metals.  
 H314 Causes severe skin burns and eye damage.

**Precautionary statements**

P102 Keep out of reach of children.  
 P264 Wash thoroughly after handling.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/doctor.  
 P405 Store locked up.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Regulation (EC) No 648/2004 on detergents / Labelling for contents**

non-ionic surfactants	≥5 - <15%
-----------------------	-----------

**2.3 Other hazards****Results of PBT and vPvB assessment**

**PBT:** Not applicable.  
**vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** Mixture: consisting of the following components.**Ingredients according Regulation (EU) 2020/878:**

CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6 Reg.nr.: 01-2119457892-27-XXXX	sodium hydroxide ⚠ Met. Corr.1, H290; Skin Corr. 1A, H314; ⚠ Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	≥55-<65%
CAS: 54549-24-5 EINECS: 259-217-6 Reg.nr.: 01-2119492545-29-XXXX	Hexyl-D-Glucoside ⚠ Eye Dam. 1, H318	≥3-≤10%

(Contd. on page 3)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**


Printing date 15.09.2021

Version number 2 (replaces version 1)

Revision: 15.09.2021

Trade name: PIPE CLEANER KL

(Contd. of page 2)

CAS: 68439-46-3  
EC number: 614-482-0alcohols, C9-11, ethoxylated  
 Eye Dam. 1, H318

≥3-≤10%

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:**

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

In all cases call a doctor.

**After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

**After skin contact:**

Remove contaminated clothing and shoes.

Immediately wash with water and soap and rinse thoroughly.

In case of skin irritation, consult a physician.

**After eye contact:**

Flush thoroughly with water for at least 15 minutes lifting lower and upper eyelids occasionally.

Remove contact lenses and continue rinsing for several minutes

If symptoms persist, consult a doctor.

Avoid strong water jet-risk of cornea damage, consult a doctor.

**After swallowing:**

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Do not induce vomiting unless you indicate medical personnel.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:**CO<sub>2</sub>, extinguishing powder, foam, sand, water spray.

Use fire extinguishing methods suitable to surrounding conditions.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.**5.3 Advice for firefighters****Protective equipment:**

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Wear firefighting protective clothing (clothing, helmets, shoes, gloves) in line with European Standard EN 469.

Cool closed containers exposed to fire by spraying water.

**Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

GB

(Contd. on page 4)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 15.09.2021

Version number 2 (replaces version 1)

Revision: 15.09.2021

Trade name: PIPE CLEANER KL

(Contd. of page 3)

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

Ensure adequate ventilation.

Avoid inhalation of vapors.

Avoid contact with the skin, eyes and clothing.

**6.1.1 For non-emergency personnel** Avoid contact with dripping or leaking material**6.1.2 For emergency responders**

First-aid responders must wear protective clothing, gloves, goggles and respiratory device with filter type A.

**6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Send for recovery or disposal in suitable receptacles.

**6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Open and handle receptacle with care.

Avoid contact with eyes, skin and clothing.

Do not eat, drink or smoke during the usage of the product.

Wash hands before each break and after finishing work.

Avoid contact with eyes, hands and clothing.

Avoid inhaling vapors.

**Information about fire - and explosion protection:** No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage:** Keep containers tightly closed in a dry, cool, well-ventilated area.**Requirements to be met by storerooms and receptacles:** Store in a cool location.**Information about storage in one common storage facility:**

Metals, oxidants, acids, aluminum and other light metals and their alloys.

**Further information about storage conditions:**

Store under lock and key and with access restricted to technical experts or their assistants only.

**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 1310-73-2 sodium hydroxide**WEL (Great Britain) Short-term value: 2 mg/m<sup>3</sup>

(Contd. on page 5)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 15.09.2021

Version number 2 (replaces version 1)

Revision: 15.09.2021

**Trade name: PIPE CLEANER KL**

(Contd. of page 4)

**DNELs**

(CAS: 1310-73-2) Sodium hydroxide

Workers:

Long-term exposure - local effects (inhalation): 1.0 mg/m<sup>3</sup>

Consumers:

Long-term exposure - local effects (inhalation): 1.0 mg/m<sup>3</sup>

(CAS: 54549-24-5) | Hexyl-D-Glucoside

Workers:

Dermal - Long-term systemic effect: 595000 mg/kg bw/d

Inhalation - Long-term systemic effect: 420 mg/m<sup>3</sup>

Consumers:

Dermal - Long-term systemic effect: 357000 mg/kg bw/d

Inhalation - Long-term systemic effect: 124 mg/m<sup>3</sup>

Ingestion - Long-term systemic effect: 35.7 mg/kg bw/d

**PNECs**

(CAS: 1310-73-2) sodium hydroxide

fresh water: 2.2 mg/l

marine water: 0.22 mg/l

intermittent release: 1.2 mg/l

soil: 0.72 mg/kg

processing unit: 43 mg/l

(CAS: 54549-24-5) | Hexyl-D-Glucoside

Fresh water: 0.176 mg/l

Marine water: 0.018 mg/l

Sewage treatment plant: 100 mg/l

Fresh water sediment: 0.722 mg/kg dw

Marine water sediment: 0.072 mg/kg dw

Soil: 0.654 mg/kg dw

**8.2 Exposure controls****8.2.1. Appropriate engineering controls**

Provide adequate ventilation.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower

**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke while using the product.

Take off contaminated clothing and wash before reuse.

Avoid contact with the eyes and skin.

Do not breathe vapours or mists.

**Respiratory protection:**

In case of insufficient ventilation use suitable respiratory protective device.

Filter P2

(Contd. on page 6)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 15.09.2021

Version number 2 (replaces version 1)

Revision: 15.09.2021

Trade name: PIPE CLEANER KL

(Contd. of page 5)

**Hand protection**

Protective gloves resistant to chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

PVC (polyvinyl chloride)

Neoprene

Rubber gloves.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

**Eye/face protection**

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

**Body protection:**

Chemical resistant protective suit.

\* **SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information**

<b>Physical state</b>	Liquid
<b>Colour:</b>	Brown
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined
<b>Flammability</b>	Not applicable
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined
<b>Upper:</b>	Not determined
<b>Flash point:</b>	Not Flammable
<b>Auto-ignition temperature:</b>	Product is not selfigniting.
<b>Decomposition temperature:</b>	Not determined
<b>pH at 20 °C</b>	13-14

(Contd. on page 7)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 15.09.2021

Version number 2 (replaces version 1)

Revision: 15.09.2021

Trade name: PIPE CLEANER KL

(Contd. of page 6)

<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not determined
<b>Kinematic viscosity</b>	
<b>Dynamic:</b>	Not determined
<b>Solubility</b>	
<b>water:</b>	Fully miscible
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined
<b>Vapour pressure:</b>	Not determined
<b>Density and/or relative density</b>	
<b>Density at 20 °C:</b>	1.31-1.33 g/cm <sup>3</sup>
<b>Relative density</b>	Not determined
<b>Vapour density</b>	Not determined

**9.2 Other information**

<b>Appearance:</b>	
<b>Form:</b>	Transparent liquid
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Auto-ignition temperature:</b>	Not determined
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>Cloud point / clarification point:</b>	
<b>Oxidising properties</b>	Not oxidising
<b>Evaporation rate</b>	Not determined

**Information with regard to physical hazard classes**

<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	
May be corrosive to metals.	
<b>Desensitised explosives</b>	Void

**SECTION 10: Stability and reactivity****10.1 Reactivity** Stable under normal conditions**10.2 Chemical stability** Material is stable under normal conditions.**Thermal decomposition / conditions to be avoided** Stable at environment temperature.

(Contd. on page 8)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 15.09.2021

Version number 2 (replaces version 1)

Revision: 15.09.2021

Trade name: PIPE CLEANER KL

(Contd. of page 7)

**10.3 Possibility of hazardous reactions** No dangerous reactions known.**10.4 Conditions to avoid**

Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

**10.5 Incompatible materials** Metals, oxidants, acids, aluminum and other light metals and their alloys.**10.6 Hazardous decomposition products** No dangerous decomposition products known.**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:****CAS: 1310-73-2 sodium hydroxide**

Oral | LD50 | 2,000 mg/kg (rat)

**Skin corrosion/irritation** Causes severe skin burns and eye damage.**Serious eye damage/irritation** Causes serious eye damage.**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**Additional toxicological information:****Repeated dose toxicity** Based on available data, the classification criteria are not met.**11.2 Information on other hazards****Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:**

1310-73-2 | sodium hydroxide.

Acute toxicity to fish: LC50: 35 - 189 mg/l

Acute toxicity to aquatic invertebrates LC50: 30 - 1000 mg/l.

Chronic toxicity test::  $\geq 25$  mg/l**12.2 Persistence and degradability**

Hexyl-D-Glucoside

Readily biodegradable (OECD 301D).

Alcohols, C9-11, ethoxylated

Readily biodegradable (OECD 301D).

C9-11 Ethoxylated Eto-8 Alcohol (Cas Nr 68439-46-3)

&gt; 80% (15d) OECD 302B

86 % (28d) OECD 301E

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at

(Contd. on page 9)



**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 15.09.2021

Version number 2 (replaces version 1)

Revision: 15.09.2021

Trade name: PIPE CLEANER KL

(Contd. of page 8)

the request of a detergent manufacturer.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

**12.7 Other adverse effects**

**Additional ecological information:**

**General notes:**

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.


### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

##### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADR, IMDG, IATA

UN1760

#### 14.2 UN proper shipping name

ADR

1760 CORROSIVE LIQUID, N.O.S.

IMDG, IATA

CORROSIVE LIQUID, N.O.S.

(Contd. on page 10)

GB

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 15.09.2021

Version number 2 (replaces version 1)

Revision: 15.09.2021

Trade name: PIPE CLEANER KL

(Contd. of page 9)

**14.3 Transport hazard class(es)**

ADR, IMDG, IATA



<b>Class</b>	8 Corrosive substances.
<b>Label</b>	8

**14.4 Packing group**

ADR, IMDG, IATA I

**14.5 Environmental hazards:** Not applicable.**14.6 Special precautions for user** Warning: Corrosive substances.**Hazard identification number (Kemler code):** 88**EMS Number:** F-A,S-B**Stowage Category** B**Stowage Code** SW2 Clear of living quarters.**14.7 Maritime transport in bulk according to IMO****instruments** Not applicable.**Transport/Additional information:****ADR**

<b>Limited quantities (LQ)</b>	0
<b>Excepted quantities (EQ)</b>	Code: E0 Not permitted as Excepted Quantity

**Transport category** 1**Tunnel restriction code** E**IMDG**

<b>Limited quantities (LQ)</b>	0
<b>Excepted quantities (EQ)</b>	Code: E0 Not permitted as Excepted Quantity

**UN "Model Regulation":** UN 1760 CORROSIVE LIQUID, N.O.S., 8, I**\* SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

(Contd. on page 11)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 15.09.2021

Version number 2 (replaces version 1)

Revision: 15.09.2021

Trade name: PIPE CLEANER KL

(Contd. of page 10)

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H290 May be corrosive to metals.

H302 Harmful if swallowed.


H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

**Training hints**

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

**Department issuing SDS:**

**SUST**  SUSTCHEM S.A.  
**CHEM** REACH & Chemical Services Department  
CONSULTING A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece  
 T: +30 210 8252510 | F: +30 210 8252575  
 W: www.sustchem.gr | E: info@suschem.gr

**Version number of previous version: 1****Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

**\* Data compared to the previous version altered.**